
How to Upgrade i21 Only Environment


This install wizard is applicable for install/upgrade without Origin integration.

- 1. Remove the installed i21 application in the Control Panel | Programs and Features
- 2. After uninstall, make sure that webconfig file in the i21 install folder exists.



The i21 Keys should also be retained after uninstall.


- 3. Run the latest installer.
- 4. In the install wizard:



Install Folder - Select the install folder used in the previous build/version.

Web Application Name - Enter the same Web App name used in the previous build/version.

- 5. Click Next. Clicking Next button will automatically select IRELY SQL Server instance name and default back up folder D:\irelyinstall\backup. Else, click Advanced button to select the SQL Server and back up folder path.
- 6. In this screen, enter the $\mbox{\bf Prefix}.$ This corresponds to the prefix name of the database.



To verify the prefix, look at the webconfig that is in the install folder. Normally, database name is configured with format Prefix + Code.

```
File Edit Format View Help

| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Remain View Help
| Re
```

7. Click Next. The Company Code should display.



This is the same company code that is shown in the webconfig file.

```
File Edit Format View Help

{?xml version="1.0" encoding="UTF-8"}>

<configuration>

<connectionStrings>

<add name="50" connectionString="Data Source=(local)\SQL2008R2;Initial Catalog=;User ID=irely;Password=iRely486;MultipleActiveResultSets=True" for add name="50" connectionString="Data Source=(local)\SQL2008R2;Initial Catalog=irely01;User ID=irely;Password=iRely486;MultipleActiveResultSets=True" providerName

</connectionStrings>

<system.webServer>

<staticContent>

<mimeMap fileExtension=".key" mimeType="application/octet-stream" />

<cli>clientCache cacheControlMode="UseMaxAge" cacheControlMaxAge="30.00:00:00" />

</system.webServer>

<system.webServer>

<system.webServer>

<system.web>

</configuration>

</configuration>
```

8. Click Install.