

Quality View

Quality View allows users to view the all the Approved and Reject Sample details.

Accessing Quality View

- 1. Login into the application
- 2. Select **Quality**.
- 3. Click on **Quality View**

Quality Exception View

Refresh Sample Export Close

Filter Records (F3)

Sample Type	Item #	Category	Property Name	Test Name	Min Value	Max Value	Property Value	Result	Contract #	Lot #	Sample #
O2 Approval Sa...	10039	902	Density	Density	0	100000000	1	Passed	13		Q5-22
O2 Approval Sa...	10039	902	Certificat - RFA	Certificat - RFA			Yes	Passed	13		Q5-22
O2 Approval Sa...	10039	902	Flowability	Flowability	0	10	1	Passed	13		Q5-22
O3 Receipt Sem...	10075	140	HM Cadmium	Ash Content	0	1				LOT-1182	Q5-20
O3 Receipt Sem...	10075	140	HM Ferrous Met...	Ash Content	0	0.005				LOT-1182	Q5-20
O3 Receipt Sem...	10075	140	HM Lead	Ash Content	0	3				LOT-1182	Q5-20
O3 Receipt Sem...	10075	140	Density	Density	0	100000000				LOT-1182	Q5-20
O3 Receipt Sem...	10075	140	Flavour Strength...	Flavour Strength	1	5				LOT-1182	Q5-20
O3 Receipt Sem...	10075	140	Flavour Strength	Flavour Strength	0	5				LOT-1182	Q5-20
O3 Receipt Sem...	10075	140	Brew Test	Brew Test	10	20				LOT-1182	Q5-20
O3 Receipt Sem...	10075	140	HM Cadmium	Caffeine Analysis	0	1				LOT-1182	Q5-20
O3 Receipt Sem...	10075	140	HM Ferrous Met...	Caffeine Analysis	0	0.005				LOT-1182	Q5-20
O3 Receipt Sem...	10075	140	HM Lead	Caffeine Analysis	0	3				LOT-1182	Q5-20
O3 Receipt Sem...	10075	140	ANY SIGNS OF ...	Certificate - All...			true	Failed		LOT-1182	Q5-20
O3 Receipt Sem...	10075	140	Moisture (nc)	Moisture Conte...	0	10				LOT-1182	Q5-20

- 4. System will display all the Approved / Rejected sample details
- 5. To view particular sample details.
- 6. Select the one record and Click on Sample button.